

NEXTONE

**OLTRE
LA PIETRA**
*BEYOND
STONE*



LEA
CERAMICHE



Il segno essenziale. Materia ceramica che abita lo spazio.

**The essential signature. Ceramic matter
that lives in space.**

Nextone è la collezione Lea Ceramiche che riproduce l'effetto pietra ingegnerizzato. Combinando quattro pietre di differenti cave, si è giunti alla definizione di grafiche inedite che ricreano una pietra non esistente in natura, ma dall'effetto estetico naturale e molto equilibrato.

Nextone is the collection by Lea Ceramiche with an engineered stone effect. The combination of four stones from different quarries contributed to the definition of all-new graphic designs, recreating a stone which does not exist in nature, but that has a natural and highly balanced aesthetic.

4
COLORI /
COLORS
 next white
 next gray
 next taupe
 next dark

3
FINITURE /
FINISHES
 naturale rett
 lappato rett
 grip rett

3
VARIANTI /
VARIATIONS
 line rett
 dot rett
 mark rett



10 mm
GRES
PORCELLANATO
 60x120cm 24"x48"
 60x60cm 24"x24"
 30x60cm 12"x24"

20 mm
GRES
SPESSORATO
 60x120cm 24"x48"
 60x60cm 24"x24"



Varianti sui fondi.

Background variations.




A
OS



NEXT TAUPE /

60x60 / 24"x24" nat - 30x60 / 12"x24" nat -
mosaico 144 - mosaico mix -



NEXT TAUPE /

mosaico 144 - mosaico mix -





NEXT TAUPE /
60x60 / 24"x24" nat -



NEXT TAUPE /

60x120 /
24"x48" lapp -



Il successo della sapiente elaborazione degli elementi.

The success of the
skilful processing of the
elements.

NEXT GRAY /

60x120 / 24"x48" nat -
30x60 MARK next gray - GRAMMA 72 -



NEXT GRAY /

30x60 MARK next gray -



GRAMMA 72



Un progetto completo.

A complete project.

Formati, decori e superfici si combinano per dare vita a composizioni ed ambienti armonici.

Formats, decorations, and surfaces that can be combined with one another, bringing to life harmonious compositions and spaces.

NEXT GRAY /

60x120 / 24"x48" nat -
30x60 MARK next gray - GRAMMA 72 -



NEXT GRAY /
60x120 / 24"x48" nat -



NEXT DARK /
60x120 / 24"x48" lapp -

NEXT DARK /

30x60 LINE next dark - 60x60 DOT next dark -





NEXT DARK /
60x60 DOT next dark -

NEXT DARK /

30x60 LINE next dark -





NEXT WHITE /

60x120 / 24"x48" nat -
30x60 LINE next white -

Bilanciamento cromatico, fusione armonica delle grafiche.

Colour balance,
harmonious fusion of the
graphic designs.

NEXT WHITE /

60x120 / 24"x48" nat - 30x60 LINE next white -



60x120 / 24"x48" nat -





NEXT WHITE /

60x120 / 24"x48" nat - 30x60 LINE next white -



NEXT WHITE /

60x120 / 24"x48" nat -



20mm

SYSTEM L2

NEXT TAUPE /
60x120 / 24"x48" nat -

NEXT DARK /
60x60 / 24"x24" -

P R () T E C T

L'esclusiva tecnologia Panariagroup per pavimenti e rivestimenti antibatterici ad altissime performance. Per un abitare sano, sicuro e protetto.

The exclusive Panariagroup technology for antimicrobial floor and wall coverings with the highest performance. To live healthy, safe and secure.



AZIONE POTENTE

elimina i batteri e ne impedisce la proliferazione

POWERFUL ACTION

eliminates microbes and prevents their reproduction



PROTEZIONE CONTINUA

sempre attivo, 24 ore su 24, con e senza luce solare

CONTINUOUS PROTECTION

always active, 24 hours a day, with and without sunlight



EFFICACIA ETERNA

grazie alla tecnologia integrata in modo permanente nel prodotto

ETERNAL EFFECTIVENESS

thanks to the technology permanently integrated into the product



QUALITÀ GARANTITA

dalla partnership con **MICROBAN**

GUARANTEED QUALITY

by the partnership with **MICROBAN**

PANARIAgroup



LEA
CERAMICHE

www.protect.panariagroup.it

NEXTONE

NEXTONE

COLORI


colors / couleurs / Farben

next white

next gray

next taupe


next dark



NEXTONE

FORMATI ^{LR}T¹

sizes / formats / Formate


 gres porcellanato

PR()TECT
ANTIBATTERICO - ANTIMICROBIAL


spessore / thickness 10mm




30x60cm / 12"x24" rett
NAT / LAPP




60x60cm / 24"x24" rett
NAT / LAPP / GRIP




60x120cm / 24"x48" rett
NAT / LAPP

 SYSTEM L2

spessore / thickness 20mm




60x60cm / 24"x24" rett
±20mm GRIP




60x120cm / 24"x48" rett
±20mm GRIP

varianti / variations

DOT




30x60cm / 12"x24" rett
NAT




60x60cm / 24"x24" rett
NAT

LINE




30x60cm / 12"x24" rett
NAT




60x60cm / 24"x24" rett
NAT

MARK



30x60cm / 12"x24" rett
NAT




60x60cm / 24"x24" rett
NAT

FORMATI SPECIALI

special sizes / formats spéciaux / Sonderformate

PR()TECT
ANTIBATTERICO - ANTIMICROBIAL



GRAMMA 72
49,8x14,5cm / 19¹/₂"x5⁴⁵/₆₄" nat

disponibile su tutti i colori / available in all colors /
disponible sur toutes les couleurs / erhältlich für alle Farben

FINITURE


finishes / surface / Oberfläche

NAT - LAPP - GRIP


MOSAICI

mosaics / mosaïques / Mosaïks


PR()TECT
ANTIBATTERICO - ANTIMICROBIAL



MURETTO
30x60 cm / 12"x24" nat



MOSAICO MIX*
30x30 cm / 12"x12" nat



MOSAICO 144
30x30 cm / 12"x12" nat

disponibile su tutti i colori / available in all colors /
disponible sur toutes les couleurs / erhältlich für alle Farben

*superfici mixate: nat + dot + line + mark / Mixed surfaces: nat + dot + line + mark /
Surfaces mixtes: nat + dot + line + mark / Gemischte Oberflächen: nat + dot + line + mark

NEXTONE

FONDI

plain tiles / fonds / Unifliesen

		Gramma 72					
		30x60cm 12"x24"	60x60cm 24"x24"	60x120cm 24"x48"	49,8x14,5cm 19 1/2"x5 5/8"	60x60cm 24"x24"	60x120cm 24"x48"
		rett	rett	rett	rett	rett	rett
		10 mm	10 mm	10 mm	10 mm	20 mm SYSTEM L2	20 mm SYSTEM L2
Next White	NAT	LGVN30	LGWN30	LGXNX30	LGZNXL03	-	-
	LAPP	LGVNXL3	LGWNXL3	LGXNXL3	-	-	-
	GRIP	-	LGWNX35	-	-	LGWNX93	LGXNX63
	DOT	LGVN53	LGWN53	-	-	-	-
	LINE	LGVN63	LGWN63	-	-	-	-
	MARK	LGVN73	LGWN73	-	-	-	-
Next Gray	NAT	LGVN10	LGWN10	LGXNX10	LGZNXL01	-	-
	LAPP	LGVNXL1	LGWNXL1	LGXNXL1	-	-	-
	GRIP	-	LGWNX15	-	-	LGWNX91	LGXNX61
	DOT	LGVN51	LGWN51	-	-	-	-
	LINE	LGVN61	LGWN61	-	-	-	-
	MARK	LGVN71	LGWN71	-	-	-	-
Next Taupe	NAT	LGVN20	LGWN20	LGXNX20	LGZNXL02	-	-
	LAPP	LGVNXL2	LGWNXL2	LGXNXL2	-	-	-
	GRIP	-	LGWNX05	-	-	LGWNX92	LGXNX62
	NAT DOT	LGVN52	LGWN52	-	-	-	-
	NAT LINE	LGVN62	LGWN62	-	-	-	-
	NAT MARK	LGVN72	LGWN72	-	-	-	-
Next Dark	NAT	LGVN00	LGWN00	LGXNX00	LGZNXL00	-	-
	LAPP	LGVNXL0	LGWNXL0	LGXNXL0	-	-	-
	GRIP	-	LGWNX05	-	-	LGWNX90	LGXNX60
	NAT DOT	LGVN50	LGWN50	-	-	-	-
	NAT LINE	LGVN60	LGWN60	-	-	-	-
	NAT MARK	LGVN70	LGWN70	-	-	-	-

MOSAICI

mosaics / mosaïques / Mosaïks

		Next White	Next Gray	Next Taupe	Next Dark
MURETTO 30x60cm 12"x24"	NAT	LG9NX03	LG9NX01	LG9NX02	LG9NX00
MOSAICO MIX* 30x30cm 12"x12"	NAT	LG9NX23	LG9NX21	LG9NX22	LG9NX20
MOSAICO 144 30x30cm 12"x12"	NAT	LG9NX13	LG9NX11	LG9NX12	LG9NX10


*superfici mixate: nat + dot + line + mark / superfici mixate: nat + dot + line + mark / Mixed surfaces: nat + dot + line + mark / Surfaces mixtes: nat + dot + line + mark / Gemischte Oberflächen: nat + dot + line + mark



NEXTONE

PEZZI SPECIALI

trims / pièces spéciales / Formstücke

Sezione gradino
















		Next White	Next Gray	Next Taupe	Next Dark
	battiscopa 5,5x60cm / 2 ¹¹ / ₁₆ "x24" rett	LGRNX30	LGRNX10	LGRN20	LGRNX00
	gradino plus* 35x120cm / 13 ³ / ₄ "x48" rett	LGDNX80	LGDNX60	LGDNX70	LGDNX50
	angolo dx gradino plus* 35x120cm / 13 ³ / ₄ "x48" rett	LGDNX30	LGDNX10	LGDNX20	LGDNX00
	angolo sx gradino plus* 35x120cm / 13 ³ / ₄ "x48" rett	LGDNX81	LGDNX61	LGDNX71	LGDNX51
	gradino plus* 35x60cm / 13 ³ / ₄ "x24" rett	LGDNX31	LGDNX11	LGDNX21	LGDNX01
	angolo gradino plus* 35x35cm / 13 ³ / ₄ "x13 ³ / ₄ " rett	LGDNX82	LGDNX62	LGDNX72	LGDNX52
		LGDNX32	LGDNX12	LGDNX22	LGDNX02
		LG9NXG3	LG9NXG1	LG9NXG2	LG9NXG0
		LG9NX03	LG9NX01	LG9NX02	LG9NX00

* Su richiesta. Per maggiori informazioni circa quantità minime e tempi di consegna rivolgersi all'ufficio commerciale. / Upon request. For more information about minimum quantities and delivery times please contact the sales department. / Sur demande. Pour plus d'informations sur les quantités minimales et délais de livraison s'il vous plaît contacter le département des ventes. / auf Anfrage. Für weitere Infos über die Mindestmengen und Lieferzeiten wenden Sie sich bitte an unserer Verkaufsabteilung.

PEZZI SPECIALI 20mm

trims 20mm / pièces spéciales 20mm / Formstücke 20mm

		Next White	Next Gray	Next Taupe	Next Dark
	griglia* 15x60cm / 6"x24" rett	LG1NX30	LG1NX10	LG1NX20	LG1NX00
	griglia angolare sx* 15x60cm / 6"x24" rett	LG1NX32	LG1NX12	LG1NX22	LG1NX02
	griglia angolare dx* 15x60cm / 6"x24" rett	LG1NX31	LG1NX11	LG1NX21	LG1NX01
	costa toro* 30x60cm / 12"x24" rett	LGDNXF3	LGDNXF1	LGDNXF2	LGDNXF0
	costa toro angolare sx* 30x60cm / 12"x24" rett	LGDNXB7	LGDNXB3	LGDNXB5	LGDNXB1
	costa toro angolare dx* 30x60cm / 12"x24" rett	LGDNXB6	LGDNXB2	LGDNXB4	LGDNXB0
	costa retta* 30x60cm / 12"x24" rett	LGDNXC3	LGDNXC1	LGDNXC2	LGDNXC0
	costa retta angolare sx* 30x60cm / 12"x24" rett	LGDNXA7	LGDNXCA3	LGDNXA5	LGDNXA1
	costa retta angolare dx* 30x60cm / 12"x24" rett	LGDNXA6	LGDNXA2	LGDNXA4	LGDNXA0
	costa toro step* 30x60cm / 12"x24" rett	LGDNXJ3	LGDNXJ1	LGDNXJ2	LGDNXJ0
	costa retta step* 30x60cm / 12"x24" rett	LGDNXG3	LGDNXG1	LGDNXG2	LGDNXG0
	costa retta con gocciolatoio* 30x60cm / 12"x24" rett	LGDNXH3	LGDNXH1	LGDNXH2	LGDNXH0
	costa toro con gocciolatoio* 30x60cm / 12"x24" rett	LGDNXY3	LGDNXY1	LGDNXY2	LGDNXY0

NEXTONE

IMPIEGHI GRÈS PORCELLANATO

uses / emploi / Anwendungsbereiche

IMPIEGHI

uses / emploi / Anwendungsbereiche



alberghi
hotels
hotels
hotels



locali pubblici
public spaces
lieux publics
öffentliche bereiche



abitazioni
housing
maisons
wohnbereiche



aeroporti
airports
aéroports
flughafen



bar - ristoranti
bar - restaurants
bar - restaurants
cafés - restaurants, gasthäuser



centri commerciali
malls
centre commerciaux
einkaufszentren



negozi
shops
magasins
geschäfte



stazioni
train stations
gares
bahnhöfe

IMPIEGHI SYSTEM L2

uses / emploi / Anwendungsbereiche

IMPIEGHI 20mm

uses / emploi / Anwendungsbereiche



violetti
walkways
allées
Kleine Wege



parcheggi
parking areas
parkings
Parkplätze



parchi pubblici - giardini
public parks - gardens
parcs publics et jardins
Öffentliche Parks und Gärten



terrazze
terraces
terrasses
Terrassen



camminamenti piscine
pool decks
voies piétonnes et piscines
Wege und Schwimmbäder



zone industriali
industrial areas
zones industrielles
Industriebereiche



stabilimenti balneari
beach resorts
établissements balnéaires
Badeanstalten



aree urbane
urban areas
zones urbaines
Stadtberiche

NEXTONE

IMBALLI

packing / emballage / Verpackung

ARTICOLO	SCATOLA			PALLET				
	cm	inch	pz.	mq	kg	scat.	mq	kg
fondo	30x60	23"x46"	8	1,44	32,5	32	46,1	1040,0
fondo	60x60	24"x48"	4	1,44	32,5	32	46,1	1040,0
fondo (20mm)	60x60	30"x30"	2	0,72	32,5	32	23,0	1040,0
fondo	60x120	29"x29"	2	1,44	35,5	36	51,8	1278,0
fondo (20mm)	60x120	29"x29"	1	0,72	32,5	32	23,0	1040,0
fondo gramma 72	49,8x16,9	19 ^{1/2"} x6 ^{5/8"}	14	1,01	23,0	32	32,3	736,0
muretto	30x60	12"x24"	4	0,72	15,6	30	21,6	468,0
mosaico 36	30x30	12"x12"	5	0,45	10,0	60	27,0	600,0
mosaico 144	30x30	12"x12"	5	0,45	10,0	60	27,0	600,0
battiscopa	5,5x60	2 ^{11/64"} x24"	12	7,2 m.l.	8,5	50	360,0 m.l.	426,0
gradino plus	35x120	13 ^{3/4"} x48"	2	0,84	23,2	16	13,4	371,2
angolo gradino plus	35x120	13 ^{3/4"} x48"	1	0,42	12,4	16	6,7	198,4
gradino plus	35x60	13 ^{3/4"} x24"	4	0,84	21,4	16	13,4	342,4
angolo gradino plus	35x35	13 ^{3/4"} x13 ^{3/4"}	2	0,25	6,7	36	8,8	241,2


Per una maggiore variabilità grafica della superficie da rivestire, si consiglia di miscelare il prodotto in fase di posa.
Le diverse e numerose facce del prodotto sono imballate secondo una logica randomizzata per garantire la massima variabilità in ogni collo.
For a better graphic variation of the surface, we recommend to mix the product during installation.
The diverse and numerous graphics of the product are randomly packaged to guarantee the best possible variation within each box.

CARATTERISTICHE TECNICHE

technical characteristics / caractéristiques techniques / Technische eigenschaften

gres tutta massa UGL / full-body porcelain UGL

conforme / according to: ISO 13006 G (Gruppo/Group Bla) - EN 14411 G (Gruppo/Group Bla), ANSI A137.1 (P1 Class)

	metodo di prova test method	requisiti prescritti required values	valori medi average values
 assorbimento d'acqua water absorption	ISO 10545-3 ASTM C373	≤ 0,5%	0,05%
 sforzo di rottura S breaking strength	ISO 10545-4 ASTM C1505	≥ 1300 N/mm ² ≥ 250 lbf	2500 N 10mm / 13600 N 20mm 600 lbf 10mm / 2800 lbf 20mm
 resistenza a flessione modulus of rupture	ISO 10545-4	≥ 35 N/mm ²	50 N/mm ²
 resistenza all'abrasione profonda resistance to deep abrasion	ISO 10545-6 ASTM C1243	≤ 175 mm ³	145 mm ³
 dilatazione termica lineare linear thermal expansion	ISO 10545-8 ASTM C372	requisito non previsto no provision	$\alpha \leq 7 \times 10^{-6} \text{ }^\circ\text{C}^{-1}$ $\alpha \leq 4,4 \times 10^{-6} \text{ }^\circ\text{F}^{-1} / \alpha \leq 8 \times 10^{-6} \text{ }^\circ\text{C}^{-1}$
 resistenza alle macchie stain resistance	ISO 10545-14 ASTM C1378	Classe / Class 3 Min. as indicated by manufacturer	5 RESISTENTE / RESISTANT A RESISTANT
 resistenza all'attacco chimico (*) chemical resistance (*)	ISO 10545-13 ASTM C650	come indicato dal produttore as indicated by manufacturer	LA - HA RESISTENTE / RESISTANT A RESISTANT
 resistenza al gelo frost resistance	ISO 10545-12 ASTM C1026	nessuna alterazione / no alteration as indicated by manufacturer	RESISTENTE / RESISTANT RESISTANT
 resistenza allo scivolamento slip resistance	DIN 51130	-	R10 (nat.) / R11 (grip - 20mm)
	DIN 51097	-	B (A+B) (nat.) / C (A+B+C) (grip - 20mm)
	BCR-TORTUS	-	μ > 0,40 (nat. - grip - 20mm)
	ANSI A326.3	-	DCOF ≥ 0.42
	AS-NZS 4586:2013	-	P3 (nat.) / P4 (grip - 20mm)
 reazione al fuoco fire reaction	EN 13823	CPR (UE) 305/2011, 2000/147/CE,	Classe / Class A1 (wall)
	EN 9239-1	UNI EN 13501-1	Classe / Class A1 fl (floor)
	 flame spread	ASTM E84	no provision
 Robinson floor tester	ASTM C627	come indicato dal produttore as indicated by manufacturer	≥ 14 cycles Extra Heavy Commercial (over concrete)
 conducibilità termica thermal conductivity	EN 12524	-	λ = 1,3 W/m ² K / 0.7 BTU/ft h ² F
 fuga minima consigliata (**) recommended minimum joint (**)	INDOOR	-	2mm
	OUTDOOR	-	5mm circa/ approx.
 stonalizzazione shade variation	ANSI A137.1	come indicato dal produttore as indicated by manufacturer	V4

(*) ad esclusione dell'acido fluoridrico e derivati / excluding hydrofluoric acid and its derivatives

(**) salvo diversa indicazione dei Codici di Posa Nazionali. La larghezza delle fughe deve comunque essere decisa dalla Direzione Lavori
the width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards

CERTIFICAZIONI

certifications / certifications / Prüfzeugnisse



ISO 14001



ISO 9001



emas



leed**



Le DOP sono disponibili sul sito internet www.ceramichelea.it
DOP are available on the website www.ceramichelea.it

marchio CE***



leed*

*
LEED

Lea Ceramiche, è membro di GBC Italia, organizzazione che promuove sul territorio italiano la realizzazione di edifici nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivono e lavorano. Lea Ceramiche is a member of the U.S. Green Building Council: this is an organization that promotes buildings that are environmentally responsible, profitable and healthy places to live and work.

**
LEED

Il contenuto di materiale riciclato "pre-consumo" della serie Waterfall è del 40%, come certificato da ente esterno qualificato (certificato disponibile sul sito www.ceramichelea.com).
Waterfall is produced with 40% of pre-consumer materials, as certified by a qualified external company (certificate available on the website www.ceramichelea.com).

MARCHIO CE
Le DOP sono disponibili sul sito internet www.ceramichelea.it
DOP are available on the website www.ceramichelea.it
Les DOP sont disponibles sur le site internet www.ceramichelea.it
Die DOP sind auf Internet Site www.ceramichelea.it verfügbar
El DOP están disponibles en el sitio web www.ceramichelea.it



ADI MEMBER



NEXTONE

**OLTRE
LA PIETRA**
BEYOND
STONE

P R () T E C T

SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE

with MICROBAN®

LEA

CERAMICHE

LEA CERAMICHE
Via Cameazzo, 21
41042 Fiorano Modenese
Modena Italy

Tel +39 0536 837811
Fax +39 0536 830326
info@ceramichelea.it
www.ceramichelea.com

Panariagroup Industrie Ceramiche
S.p.A.

MILANO
SHOWROOM LEA CERAMICHE
Via Durini, 3
20122 Milano

Tel +39 02 76011406
showroom_milano@ceramichelea.it

PARIGI
LAB LEA CERAMICHE
2 rue des Moulins
1 ere Arrondissement - (Métro Pyramides)
75001 Paris

Tel +33 648116844

USA
LEA NORTH AMERICA, LLC
800 Clanton Road, Suite N
Charlotte, NC 28217

Tel +1 704 522 6300
Fax +1 704 522 6080
info@leausa.us
www.leausa.us